

Oraya

Designed for nursing care where spinal stability or specialised treatments are required.



The Oraya is an exceptionally versatile 3-in-1 bathing solution that incorporates a hi-lo bath system, a changing table and a bathing/showering platform.

Safe and simple to use, the hi-lo function allows the carer full access to the bather at a comfortable working height, without the risk of back strain.

Perfect for paediatric or adult bathers, the integrated bathing platform and changing table comes with a removable back-rest and that ensure an optimal bathing position.



Key features:

- Versatile 3-in-1 operation (hi-lo bath/ changing table/bathing and showering platform)
- Fully adjustable hi-lo bath ensures a safe, comfortable working height for carer
- Ideal solution where spinal stability is required
- Removable back-rest making it adaptable for adult or paediatric care
- Bather can be dried whilst being safely confined
- Full access to the bather at a comfortable height, easy and quick to remove bather using the handset
- Hinged platform to aid cleaning process
- BioCote anti-microbial protection as standard
- Lightweight, ergonomic handset control
- For bathers needing specialist care, the Oraya assisted bath is a fully height adjustable bath that comes with an integrated variable-height platform. It's a unique model that can be fitted in care homes, standard homes and therapist bathrooms.
- Bathers sit on the platform and the bath is then raised, gently immersing them in a relaxing bath.
- After bathing, the platform becomes a drying and changing table, avoiding a wet transfer out of the bath.
- The Oraya significantly reduces the number of transfers required – making the bathing experience less tiring, safer and more pleasurable for bathers and carers alike.



Gainsborough Healthcare Group
Life enhancing bathing.

01527 40022

info@gainsboroughbaths.com

www.gainsboroughbaths.com

Oraya

Key features and options



TMV3 water temperature controls reduces risk of scalding



Lightweight, ergonomic hand operated shower unit option



Lightweight, ergonomic handset with battery back-up system



Platform backrest comes as standard with slip resistant cover



Chromotherapy lighting



Hydrotherapy air-spa system

Key features and options:

- Footrest, for additional comfort and support
- Thermostatically controlled bath filler tap and chrome shower system with easy-to-use hand control
- Hydrotherapy 14 Jet, multi-speed air spa system
- KIWA compliant shower pole, (CAT 5) - Including shower head, diverter, twin lever bath filler tap and TMV3 valves
- Chromotherapy, multi-coloured LED lighting visually enhances the bathing experience
- Sound system – wirelessly controlled via Bluetooth from a smart device
- A range of postural supports and cushions to suit a variety of bathers
- Autofill, thermostatically-controlled auto-fill system automatically fills the bath to a pre-set depth



Gainsborough Healthcare Group
Life enhancing bathing.

01527 40022

info@gainsboroughbaths.com
www.gainsboroughbaths.com

Oraya

Technical specification

Length (mm)	1700
Width (mm)	750
Height (mm)	650
Internal depth (mm)	240
Internal width (mm)	550
Internal length (mm)	1480
Bath height with shower pole (mm)	1536-1836
Maximum user weight	165kg
Water capacity	1700mm - 220 litres
Approximate bath weight (empty)	1700mm - 200kg
Approximate bath weight (full)	1700mm - 420kg
Typical mechanical operation times	35 secs to raise 33 to lower
Lifting range	300mm

Class I Electrical Device	
Power supply	Mains 230V to be supplied via 30mA RCD
Operating voltage	24V
Battery backup	24V DC lead acid, for emergency use only
Actuator duty cycle	Max. 10% or 2min continuous use followed by 18min not in use. The life cycle test has been performed with a stabilised power supply (10% duty cycle) on a 20mm stroke actuator at max. load for 10,000 cycles at ambient temperature
Water supply	Unblended Hot & Cold water at 1 bar Min > 3.5bar Max pressure
IP Rating	IPX3
A' weighted sound emission	<60dB(A)
A' weighted sound emission with air spa system (option)	<75dB(A)
Ambient temperature range	5°C to 50°C
Relative humidity range	10-80%
Atmospheric pressure range	50kPa to 106kPa
Medical Device Category	Class I

Antimicrobial protection

This bath includes BioCote® technology which has been proven to reduce bacteria and even some viruses, including influenza A H1N1, E.coli, MRSA and Pseudomonas.

Intended use

This equipment is intended to facilitate the bathing of residents in care facilities or in a home care environment. The product is designed to help people who struggle with getting in and out of a bath, especially those with physical limitations. It's useful for both hygiene and relaxation purposes.

Caution

To ensure best practice and safety the bath must be operated only by a trained professional with adequate understanding of the specific environment, its common practices and processes. It is vital that regular assessments of the bather are undertaken to ensure the bath remains suitable.

Please be aware of the sound emission and any optional accessories working attributes to ensure bather suitability before operation.

If you have any questions regarding this product or operation of the bath, feel free to contact your authorised representative or Gainsborough Healthcare Group Ltd. on 01527 400022.



Gainsborough Healthcare Group
Life enhancing bathing.

01527 400022

info@gainsboroughbaths.com
www.gainsboroughbaths.com

Oraya

Technical Drawings

Oraya

Dimensions in millimetres (mm).

Right-hand example (handing of a bath is indicated by the exit point of the bath when in a seated position).

